

# PRODUCT CATALOGUE

**INDIVIDUALLY CRAFTED CONTACT LENSES  
FOR THE UNIQUENESS OF EACH EYE**

- 241 SPHERES • 180 AXES • 30 CYLINDERS
- 15 ADDITIONS • 11 DIAMETERS • 4 GEOMETRIES
- 4 PROPRIETARY MATERIALS

MARY - 36 YEARS OLD - MORNING YOGA

**CONTACT YOUR BUSINESS DEVELOPMENT  
MANAGER FOR DETAILS**

Customer Care: T. 0800 328 0610 F. 0800 328 0649  
International Customer Care: T. +34 916 496 123  
mkservices@markennovy.com

# INDEX

<b>MONTHLY REPLACEMENT</b>	<b>01</b>
EDOF	02
Blu:gen	03
Blu:kidz	04
Saphir RX	05
Gentle 80	06
Gentle 59	07
Blu:ssentials	08
Brilliant	09
Xtensa RX	10
Xtensa SiHy	11
<b>MYOPIA MANAGEMENT</b>	<b>12</b>
MYLO	13
<b>3-MONTHLY REPLACEMENT</b>	<b>14</b>
Saphir	15
Equilibria	16
Quattro	17
<b>OTHER REPLACEMENTS</b>	<b>18</b>
Seven RX	19
Quattro	20
SPH5 / 5T	21
ET43/ ES43	22
<b>FITTING GUIDE</b>	<b>23</b>
<b>CONTACT LENS CARE</b>	<b>29</b>

**CONTACT YOUR BUSINESS DEVELOPMENT  
MANAGER FOR DETAILS**

Customer Care: T. 0800 328 0610 F. 0800 328 0649  
International Customer Care: T. +34 916 496 123  
mkservices@markennovy.com

**markennovy**

# MONTHLY REPLACEMENT

---

- EDOF
- Blu:gen
- Blu:kidz
- Saphir RX
- Gentle 80
- Gentle 59
  
- Blu:ssentials
- Brilliant
- Xtensa RX

Xtensa SiHy

# MONTHLY REPLACEMENT

## EDOF

INDIVIDUALLY CRAFTED

SILICONE HYDROGEL



**EDOF** is an individually crafted monthly contact lens specifically designed for Presbyopia. It is powered by the Brien Holden Vision Institute's patented Extended Depth of Focus technology, which provides clear vision at all distances. This supports a comfortable adjustment to the lens, enhancing the overall wearing experience.

Its silicone hydrogel material combines high water content and low coefficient of friction to improve comfort throughout the day, whilst its wide range of parameters and low elastic modulus ensure a precise fit and easy handling.


 **EXTENDED DEPTH OF FOCUS**

### PARAMETERS

<b>BASE CURVES (mm)</b>	7.10 to 9.80 (0.30)
<b>DIAMETERS (mm)</b>	13.50 to 15.50 (0.50)
<b>SPHERES (D)</b>	-18.00 to +18.00 (0.25)
<b>ADDITIONS</b>	0.75   1.50   2.25

### MATERIAL

<b>TYPE</b>	Filcon 5B (60) [75%]
<b>WATER CONTENT</b>	75%
<b>CLASS 1 UV FILTER</b>	Yes - blocks at least 90% of UVA and 99% of UVB light
<b>CENTRAL THICKNESS (-3.00 D)</b>	0.12
<b>DK (ISO 9913-1-1998)</b>	60
<b>DK/T (-3.00 D)</b>	50
<b>CoF</b>	0.02
<b>HANDLING TINT</b>	BLUE
<b>MODULUS</b>	0.33
<b>PACK SIZE</b>	3 & 6 Lenses
<b>MANUFACTURING PROCESS</b>	Lathed





### Need fitting advice?



Check our fitting guide in page 28 of this catalogue

### OPTICAL DESIGN

#### POWER PROFILE FOR 0.75 & 2.25 ADDITIONS



#### POWER PROFILE FOR 1.50 ADDITION



### CONTACT YOUR BUSINESS DEVELOPMENT MANAGER FOR DETAILS

Customer Care: T. 0800 328 0610 F. 0800 328 0649  
International Customer Care: T. +34 916 496 123  
mkservices@markennovy.com


**markennovy**

# MONTHLY REPLACEMENT

## BLU:GEN

INDIVIDUALLY CRAFTED

SILICONE HYDROGEL



**Blu:gen** is a silicone hydrogel lens, combining a Class 1 UV Filter with selective Blue Light Blocking to protect the eye from upwards of 99% of UVB, 93% of UVA, and 14% of harmful blue-violet light. Its high water content, low dehydration material featuring the lowest modulus of all silicone hydrogels on the market (0.25 Mpa) offers your patients a healthy, comfortable all-day wearing experience.







### PARAMETERS

BASE CURVES (mm)	6.50 to 9.80 (0.30)
DIAMETERS (mm)	11.50 to 16.50 (0.50)
SPHERES (D)	±30.00 (0.25)
CYLINDERS (D)	-0.75 to -8.00 (0.25)
AXES (°)	All (1°)
ADDITIONS	0.50 to 4.00 (0.25) CD/CN

### MATERIAL

TYPE	Filcon 5B (60) [75%]
SELECTIVE BLUE LIGHT FILTER	Yes - blocks at least 14% of harmful blue-violet light
CLASS 1 UV FILTER	Yes - blocks at least 93% of UVA and 99% of UVB light
WATER CONTENT	75%
CENTRAL THICKNESS (-3.00 D)	0.12
DK (ISO 9913-1-1998)	60
DK/T (-3.00 D)	50
CoF	0.09
HANDLING TINT	GREEN
MODULUS	0.25
PACK SIZE	3 & 6 Lenses
MANUFACTURING PROCESS	LATHED

### OPTICAL DESIGN



Lens design parameters may change depending on the power



### Need fitting advice?

Check our fitting guide in page 28 of this catalogue

### CONTACT YOUR BUSINESS DEVELOPMENT MANAGER FOR DETAILS

Customer Care: T. 0800 328 0610 F. 0800 328 0649  
International Customer Care: T. +34 916 496 123  
mkservices@markennovy.com

markennovy

# MONTHLY REPLACEMENT

## BLU:KIDZ

INDIVIDUALLY CRAFTED

SILICONE HYDROGEL



**Blu:kidz** is a silicone hydrogel lens, combining a Class 1 UV Filter with selective Blue Light Blocking to protect the eye from upwards of 99% of UVB, 93% of UVA, and 14% of harmful blue-violet light. Its child-friendly range of diameters makes it possible to fit even the smallest of eyes, whilst its green handling tint and high water content, low dehydration material provide improved handling and comfort – perfect for first-time contact lens wearers!







### PARAMETERS

BASE CURVES (mm)	6.50 to 9.80 (0.30)
DIAMETERS (mm)	11.50 to 16.50 (0.50)
SPHERES (D)	±30.00 (0.25)
CYLINDERS (D)	-0.75 to -8.00 (0.25)
AXES (°)	All (1°)
ADDITIONS	0.50 to 4.00 (0.25) CD/CN


### MATERIAL

TYPE	Filcon 5B (60) [75%]
SELECTIVE BLUE LIGHT FILTER	Yes - blocks at least 14% of harmful blue-violet light
CLASS 1 UV FILTER	Yes - blocks at least 93% of UVA and 99% of UVB light
WATER CONTENT	75%
CENTRAL THICKNESS (-3.00 D)	0.12
DK (ISO 9913-1-1998)	60
DK/T (-3.00 D)	50
CoF	0.09
HANDLING TINT	GREEN
MODULUS	0.25
PACK SIZE	3 & 6 Lenses
MANUFACTURING PROCESS	LATHED

### OPTICAL DESIGN



Lens design parameters may change depending on the power



### Need fitting advice?

Check our fitting guide in page 28 of this catalogue

### CONTACT YOUR BUSINESS DEVELOPMENT MANAGER FOR DETAILS

Customer Care: T. 0800 328 0610 F. 0800 328 0649  
International Customer Care: T. +34 916 496 123  
mkservices@markennovy.com

markennovy




# MONTHLY REPLACEMENT

## SAPHIR RX

INDIVIDUALLY CRAFTED

SILICONE HYDROGEL



**Saphir RX** is a silicone hydrogel lens, featuring a comfortable high water content, low dehydration material with a highly lubricious surface (CoF = 0.02). Its low modulus (0.33 Mpa) adds to the comfort of the lens whilst ensuring vision quality and easy handling throughout the lens' life cycle.







### PARAMETERS

BASE CURVES (mm)	6.80 to 9.80 (0.30)
DIAMETERS (mm)	13.00 to 16.00 (0.50)
SPHERES (D)	±30.00 (0.25)
CYLINDERS (D)	-0.75 to -8.00 (0.25)
AXES (°)	All (1°)
ADDITIONS	0.50 to 4.00 (0.50) CD/CN

### MATERIAL

TYPE	Filcon 5B (60) [75%]
WATER CONTENT	75%
CENTRAL THICKNESS (-3.00 D)	0.12
DK (ISO 9913-1-1998)	60
DK/T (-3.00 D)	50
CoF	0.02
HANDLING TINT	BLUE
UV FILTER	YES - Class I
MODULUS	0.33
PACK SIZE	3 & 6 Lenses
MANUFACTURING PROCESS	LATHED

### OPTICAL DESIGN



**Need fitting advice?**  
Check our fitting guide in page 28 of this catalogue

Lens design parameters may change depending on the power

### CONTACT YOUR BUSINESS DEVELOPMENT MANAGER FOR DETAILS

Customer Care: T. 0800 328 0610 F. 0800 328 0649  
International Customer Care: T. +34 916 496 123  
mkservices@markennovy.com




# MONTHLY REPLACEMENT

## GENTLE 80

INDIVIDUALLY CRAFTED

ORI:GEN TECHNOLOGY



**Gentle 80** is a bio-inspired hydrogel lens designed to imitate the natural properties of the cornea. Its material combines high water content, low dehydration, and the lowest modulus on the market (0.13 MPa) with oxygen transmissibility that reaches silicone hydrogel levels ( $Dk = 60$ ), achieving award-winning comfort and health.







### PARAMETERS

BASE CURVES (mm)	7.10 to 9.80 (0.30)
DIAMETERS (mm)	13.00 to 16.00 (0.50)
SPHERES (D)	$\pm 30.00$ (0.25)
CYLINDERS (D)	-0.75 to -8.00 (0.25)
AXES ( $^{\circ}$ )	All ( $1^{\circ}$ )
ADDITIONS	0.50 to 4.00 (0.50) CD/CN

### MATERIAL

TYPE	Filcon 2 (60) [80%]
WATER CONTENT	80%
CENTRAL THICKNESS (-3.00 D)	0.12
DK (ISO 9913-1-1998)	60
DK/T (-3.00 D)	50
CoF	0.05
HANDLING TINT	BLUE
MODULUS	0.16
UV BLOCKING	YES
PACK SIZE	3 & 6 Lenses
MANUFACTURING PROCESS	LATHED

### OPTICAL DESIGN



Lens design parameters may change depending on the power

### Calculate your lens

LØ (mm)	13.00	13.50	14.00	14.50	15.00	15.50	16.00
BC (mm)	7.10 - 8.90	7.10 - 9.20	7.40 - 9.50	7.70 - 9.80	8.00 - 9.80	8.30 - 9.80	8.60 - 9.80
FITTING RULE $K_m = (K1+K2)/2$	0.0	0.0	0.1	0.3	0.5	0.7	0.9

### CONTACT YOUR BUSINESS DEVELOPMENT MANAGER FOR DETAILS

Customer Care: T. 0800 328 0610 F. 0800 328 0649  
 International Customer Care: T. +34 916 496 123  
 mkservices@markennovy.com

markennovy




# MONTHLY REPLACEMENT

## GENTLE 59

INDIVIDUALLY CRAFTED

ORI:GEN TECHNOLOGY



**Gentle 59** is a bio-inspired hydrogel lens designed to imitate the natural properties of the cornea. It combines high surface lubricity (CoF = 0.05) with low dehydration (< 1%) for excellent comfort, and its modulus (0.36 Mpa) has been carefully calibrated to achieve optimal handling and vision quality throughout the lens' lifecycle, without reducing comfort or health.







### PARAMETERS

BASE CURVES (mm)	7.10 to 9.80 (0.30)
DIAMETERS (mm)	13.00 to 16.00 (0.50)
SPHERES (D)	±30.00 (0.25)
CYLINDERS (D)	-0.75 to -8.00 (0.25)
AXES (°)	All (1°)
ADDITIONS	0.50 to 4.00 (0.50) CD/CN


### MATERIAL

TYPE	Filcon 2 (30) [59%]
WATER CONTENT	59%
CENTRAL THICKNESS (-3.00 D)	0.12
DK (ISO 9913-1-1998)	30
DK/T (-3.00 D)	25
CoF	0.05
HANDLING TINT	BLUE
MODULUS	0.36
UV BLOCKING	YES
PACK SIZE	3 & 6 Lenses
MANUFACTURING PROCESS	LATHED

### OPTICAL DESIGN



Lens design parameters may change depending on the power



### Need fitting advice?

Check our fitting guide in page 28 of this catalogue

### CONTACT YOUR BUSINESS DEVELOPMENT MANAGER FOR DETAILS

Customer Care: T. 0800 328 0610 F. 0800 328 0649  
International Customer Care: T. +34 916 496 123  
mkservices@markennovy.com

markennovy

# MONTHLY REPLACEMENT

## BLU:SENTENTIALS

SILICONE HYDROGEL



**Blu:sentials** is a silicone hydrogel lens, combining a Class 1 UV Filter with selective Blue Light Blocking to protect the eye from upwards of 99% of UVB, 93% of UVA, and 14% of harmful blue-violet light. Its select range of parameters offers patients with standard prescriptions protection from UV and blue light originating from the sun, ambient LED lighting at home and in public spaces, and mobile devices.






### PARAMETERS

BASE CURVES (mm)	8.30 to 8.90 (0.30)
DIAMETERS (mm)	14.50 & 15.00 (0.50)
SPHERES (D)	-8.00 to +6.00 (0.25)
CYLINDERS (D)	-0.75 to -2.75 (0.50)
AXES (°)	All (10°)
ADDITIONS	0.50 to 2.50 (0.50) CD/CN


### MATERIAL

TYPE	Filcon 5B (60) [75%]
SELECTIVE BLUE LIGHT FILTER	Yes - blocks at least 14% of harmful blue-violet light
CLASS 1 UV FILTER	Yes - blocks at least 93% of UVA and 99% of UVB light
WATER CONTENT	75%
CENTRAL THICKNESS (-3.00 D)	0.12
DK (ISO 9913-1-1998)	60
DK/T (-3.00 D)	50
CoF	0.09
HANDLING TINT	GREEN
MODULUS	0.25
PACK SIZE	3 & 6 Lenses
MANUFACTURING PROCESS	LATHED

### OPTICAL DESIGN



Lens design parameters may change depending on the power



### Need fitting advice?

Check our fitting guide in page 28 of this catalogue

### CONTACT YOUR BUSINESS DEVELOPMENT MANAGER FOR DETAILS

Customer Care: T. 0800 328 0610 F. 0800 328 0649  
International Customer Care: T. +34 916 496 123  
mkservices@markennovy.com

markennovy

# MONTHLY REPLACEMENT

## BRILLIANT

SILICONE HYDROGEL



**Brilliant** is a silicone hydrogel lens featuring a comfortable high water content, low dehydration material with a highly lubricious surface (CoF = 0.09). Its select range of parameters offers patients with standard prescriptions easy handling and quality vision throughout the day.



SPHERIC



MULTIFOCAL



TORIC





### PARAMETERS

BASE CURVES (mm)	8.30 to 8.90 (0.30)
DIAMETERS (mm)	14.50 & 15.00 (0.50)
SPHERES (D)	-8.00 to +6.00 (0.25)
CYLINDERS (D)	-0.75 to -2.75 (0.50)
AXES (°)	All (10°)
ADDITIONS	0.50 to 2.50 (0.50) CD/CN

### MATERIAL

TYPE	Filcon 5B (60) [75%]
WATER CONTENT	75%
CENTRAL THICKNESS (-3.00 D)	0.12
DK (ISO 9913-1-1998)	60
DK/T (-3.00 D)	50
CoF	0.02
HANDLING TINT	YES
UV FILTER	YES - Class I
MODULUS	0.33
PACK SIZE	3 & 6 Lenses
MANUFACTURING PROCESS	LATHED

### OPTICAL DESIGN



### Need fitting advice?

Check our fitting guide in page 28 of this catalogue

Lens design parameters may change depending on the power

### CONTACT YOUR BUSINESS DEVELOPMENT MANAGER FOR DETAILS

Customer Care: T. 0800 328 0610 F. 0800 328 0649  
International Customer Care: T. +34 916 496 123  
mkservices@markennovy.com

markennovy

# MONTHLY REPLACEMENT


## XTENSA RX

HYDROGEL



PARAMETERS	
BASE CURVE (mm)	SPH, MF : 8.50 TOR, MFT : 8.70
DIAMETER (mm)	14.40
SPHERES (D)	SPH $\pm 30.00$ (0.50 after $\pm 6.00$ ) TOR, MF, MFT $\pm 30.00$ (0.50 after +4.00/-6.00)
CYLINDERS (D)	-0.75 to -7.75 (0.50)
AXES (°)	All (5°)
ADDITION	CN +1.25/+2.25 CD +1.50/+2.50

MATERIAL	
TYPE	Filcon 4 (19) [55%]
WATER CONTENT	55%
CENTRAL THICKNESS (-3.00 D)	0.10 (SPH)
DK (ISO 9913-1-1998)	19
DK/T (-3.00 D)	19 (SPH)
HANDLING TINT	BLUE
UV BLOCKING	NO
PACK SIZE	6 Lenses
MANUFACTURING PROCESS	LATHED



Lens design parameters may change depending on the power

### CONTACT YOUR BUSINESS DEVELOPMENT MANAGER FOR DETAILS


Customer Care: T. 0800 328 0610 F. 0800 328 0649  
International Customer Care: T. +34 916 496 123  
mkservices@markennovy.com

markennovy

# MONTHLY REPLACEMENT

## XTENSA SIHY

SILICONE HYDROGEL



**Xtensa SiHy** is a monthly silicone hydrogel contact lens that provides excellent vision, eye health and comfort. Its silicone hydrogel material combines outstanding **oxygen transmissibility (119 Dk/t) and a Class 1 UV Filter (blocking 90% of UVA and 99% of UVB)**, while its hyaluronic acid-infused outer surface promotes a comfortable, all-day wearing experience. Available in spherical, toric and multifocal geometries, Xtensa SiHy gives you a generous range of options for myopia, hyperopia, astigmatism and presbyopia.



### PARAMETERS


<b>BASE CURVE (mm)</b>	8.60
<b>DIAMETER (mm)</b>	14.20
<b>SPHERES (D)</b>	SPH: -10.00 to +8.00 (0.50 after $\pm 6.00$ ) TOR, MF: -10.00 to +6.00 (0.50 after $\pm 6.00$ )
<b>CYLINDERS (D)</b>	-0.75 to -2.25 (0.50)
<b>AXES (°)</b>	10 to 180 (10°)
<b>ADDITION</b>	Low (+1.00) Medium (+1.50) High (+2.00)

### MATERIAL


<b>TYPE</b>	Filcon 5C (70) [45%] c
<b>WATER CONTENT</b>	45%
<b>CLASS 1 UV FILTER</b>	Yes
<b>CENTRAL THICKNESS (-3.00 D)</b>	0.06
<b>DK</b>	75
<b>DK/T (-3.00 D)</b>	119
<b>CoF</b>	0.05
<b>MODULUS</b>	0.80
<b>HANDLING TINT</b>	Blue
<b>PACK SIZE</b>	6 Lenses
<b>MANUFACTURING PROCESS</b>	MOULDED

### OPTICAL DESIGN


#### SPHERIC



#### TORIC



#### MULTIFOCAL



### CONTACT YOUR BUSINESS DEVELOPMENT MANAGER FOR DETAILS

Customer Care: T. 0800 328 0610 F. 0800 328 0649  
International Customer Care: T. +34 916 496 123  
mkservices@markennovy.com

**markennovy**

# MYOPIA MANAGEMENT

---

-MYLO



# MYOPIA MANAGEMENT

## MYLO

INDIVIDUALLY CRAFTED

SILICONE HYDROGEL



**MYLO** is an individually crafted silicone hydrogel contact lens specifically designed for Myopia Management. It is powered by the Brien Holden Vision Institute's patented Extended Depth of Focus (EDOF) technology, which slows myopia progression and supports a comfortable acclimation to the lens, enhancing the overall wearing experience. A monthly disposable contact lens, MYLO features high water content and low coefficient of friction, which combine to improve comfort throughout the day. Its wide range of parameters and low elastic modulus ensure an excellent fit and easy handling, especially for the youngest contact lens wearers.

 **EXTENDED DEPTH OF FOCUS**

### PARAMETERS




<b>BASE CURVES (mm)</b>	7.10 to 9.80 (0.30)
<b>DIAMETERS (mm)</b>	13.50 to 15.50 (0.50)
<b>SPHERES (D)</b>	-0.25 to -15.00 (0.25)

### MATERIAL

<b>TYPE</b>	Filcon 5B (60) [75%]
<b>WATER CONTENT</b>	75%
<b>CLASS 1 UV FILTER</b>	Yes - blocks at least 90% of UVA and 99% of UVB light
<b>CENTRAL THICKNESS (-3.00 D)</b>	0.12
<b>DK (ISO 9913-1-1998)</b>	60
<b>DK/T (-3.00 D)</b>	50
<b>CoF</b>	0.02
<b>HANDLING TINT</b>	BLUE
<b>MODULUS</b>	0.33
<b>PACK SIZE</b>	3 & 6 Lenses
<b>MANUFACTURING PROCESS</b>	Lathed

### OPTICAL DESIGN

#### POWER PROFILE FOR 1.50 ADDITION



#### Need fitting advice?

Check our fitting guide in page 28 of this catalogue

#### CONTACT YOUR BUSINESS DEVELOPMENT MANAGER FOR DETAILS

Customer Care: T. 0800 328 0610 F. 0800 328 0649  
International Customer Care: T. +34 916 496 123  
mkservices@markennovy.com

**markennovy**

# 3-MONTHLY REPLACEMENT



- 
- Saphir
  - Equilibria
  - Quattro

# 3-MONTHLY REPLACEMENT

## SAPHIR

SILICONE HYDROGEL



Saphir provides comfortable, healthy contact lens wear to patients accustomed to a 3-monthly lens replacement.

- SPHERIC
- MULTIFOCAL
- TORIC
- MULTIFOCAL TORIC





### PARAMETERS

<b>BASE CURVES (mm)</b>	6.80 to 9.80 (0.30)
<b>DIAMETER (mm)</b>	13.00 to 16.00 (0.50)
<b>SPHERES (D)</b>	±30.00 (0.25)
<b>CYLINDERS (D)</b>	-0.75 to -8.00 (0.25)
<b>AXES (°)</b>	All (5°)
<b>ADDITIONS</b>	0.50 to 4.00 (0.50) CD/CN


### MATERIAL

<b>TYPE</b>	Filcon 5B (60) [75%]
<b>WATER CONTENT</b>	75%
<b>CENTRAL THICKNESS (-3.00 D)</b>	0.12
<b>DK (ISO 9913-1-1998)</b>	60
<b>DK/T (-3.00 D)</b>	50
<b>CoF</b>	0.09
<b>HANDLING TINT</b>	NO
<b>MODULUS</b>	0.29
<b>UV BLOCKING</b>	NO
<b>PACK SIZE</b>	Single and 2-pack
<b>MANUFACTURING PROCESS</b>	LATHED

### OPTICAL DESIGN



Lens design parameters may change depending on the power



### Need fitting advice?

Check our fitting guide in page 28 of this catalogue

### CONTACT YOUR BUSINESS DEVELOPMENT MANAGER FOR DETAILS

Customer Care: T. 0800 328 0610 F. 0800 328 0649  
 International Customer Care: T. +34 916 496 123  
 mkservices@markennovy.com



# 3-MONTHLY REPLACEMENT

## EQUILIBRIA

HYDROGEL



**Equilibria** provides a non-silicone option, featuring good water retention and tensile properties, for patients already accustomed to a 3-monthly lens replacement.







PARAMETERS	
BASE CURVES (mm)	7.70 to 9.80 (0.30)
DIAMETER (mm)	14.50
SPHERES (D)	SPH, TOR: $\pm 30.00$ (0.25) MF, MFT: $\pm 23.00$ (0.25)
CYLINDERS (D)	-0.75 to -8.00 (0.25)
AXES (°)	All (5°)
ADDITIONS	1.00 to 3.00 (0.50) CD/CN

MATERIALE	
TYPE	Filcon 2 (24) [59%]
WATER CONTENT	59%
DK (ISO 9913-1-1998)	24
CoF	1.17
HANDLING TINT	BLUE
MODULUS	0.32
PACK SIZE	Single and 2-pack
MANUFACTURING PROCESS	LATHED

### Calculate your lens

LØ (mm)	14.50
CB (mm)	7.70 - 9.80
FITTING RULE $K_m = (K_1 + K_2) / 2$	0.8

### OPTICAL DESIGN



Lens design parameters may change depending on the power

### CONTACT YOUR BUSINESS DEVELOPMENT MANAGER FOR DETAILS

Customer Care: T. 0800 328 0610 F. 0800 328 0649  
International Customer Care: T. +34 916 496 123  
mkservices@markennovy.com

**markennovy**

# 3-MONTHLY REPLACEMENT

## QUATTRO

HYDROGEL



**Quattro** provides spherical, toric and multifocal correction in multiple diameters for patients already accustomed to a 3-monthly lens replacement.



### PARAMETERS

**BASE CURVES (mm)** SPH, TOR 7.70 to 9.80 (0.30) (Ø 14.50)  
MF 8.00 to 9.00 (0.20) (Ø 14.00)  
SPH, TOR 7.10 to 9.20 (0.30) (Ø 13.00)

**DIAMETERS (mm)** SPH, TORIC 13.00 & 14.50  
MF 14.00

**SPHERES (D)** SPH, TOR: ±30.00 (0.25)  
MF: -12.00 to -1.00 / +1.00 to +8.00 (0.25)

**CYLINDERS (D)** -0.75 to -8.00 (0.25)




**AXES (°)** All (5°)

	SPH +	SPH -
A	1.00 CN	1.00 CD
B	1.75 CN	2.00 CD
C	2.50 CN	3.00 CD

### MATERIAL

**TYPE** Filcon 1 (15) [49%]  
**WATER CONTENT** 49%  
**DK (ISO 9913-1-1998)** 15  
**CoF** 0.42  
**HANDLING TINT** BLUE  
**MODULUS** 0.38  
**PACK SIZE** Single and 2-pack  
**MANUFACTURING PROCESS** LATHED

### OPTICAL DESIGN



Lens design parameters may change depending on the power

### CONTACT YOUR BUSINESS DEVELOPMENT MANAGER FOR DETAILS

Customer Care: T. 0800 328 0610 F. 0800 328 0649  
 International Customer Care: T. +34 916 496 123  
 mksservices@markennovy.com

**mark'ennovy**

# OTHER REPLACEMENTS

---

- Seven RX
- Quattro
- SPH 5 / 5T
- ES43 / ET43



# WEEKLY REPLACEMENT

## SEVEN RX

HYDROGEL



**Seven RX** is our weekly lens developed from our proven hydrogel material. This contact lens is lathed to offer a wider range of toric parameters than its moulded version.



SPHERIC



MULTIFOCAL



TORIC




MULTIFOCAL TORIC

### PARAMETERS


<b>BASE CURVE (mm)</b>	SPH, MF : 8.50 TOR, MFT : 8.70
<b>DIAMETER (mm)</b>	14.40
<b>SPHERES (D)</b>	SPH $\pm 30.00$ (0.50 after $\pm 6.00$ ) TOR, MF, MFT $\pm 30.00$ (0.50 after +4.00/-6.00)
<b>CYLINDERS (D)</b>	-0.75 to -7.75 (0.50)
<b>AXES (°)</b>	All (5°)
<b>ADDITION</b>	CN +1.25/+2.25 CD +1.50/+2.50

### OPTICAL DESIGN


#### SPHERIC




#### TORIC



#### MULTIFOCAL



#### MULTIFOCAL TORIC



Lens design parameters may change depending on the power

### MATERIAL

<b>TYPE</b>	Filcon 4 (19) [55%]
<b>WATER CONTENT</b>	55%
<b>CENTRAL THICKNESS (-3.00 D)</b>	0.10 (SPH)
<b>DK (ISO 9913-1-1998)</b>	19
<b>DK/T (-3.00 D)</b>	19 (SPH)
<b>HANDLING TINT</b>	BLUE
<b>UV BLOCKING</b>	NO
<b>PACK SIZE</b>	12 Lenses
<b>MANUFACTURING PROCESS</b>	LATHED

### CONTACT YOUR BUSINESS DEVELOPMENT MANAGER FOR DETAILS

Customer Care: T. 0800 328 0610 F. 0800 328 0649  
International Customer Care: T. +34 916 496 123  
mkservices@markennovy.com

markennovy

# OTHER REPLACEMENTS

## QUATTRO

HYDROGEL



**Quattro** provides spherical, toric and multifocal correction in multiple diameters for patients already accustomed to a 1-year lens replacement.



### PARAMETERS

<b>BASE CURVES (mm)</b>	SPH, TOR 7.70 to 9.80 (0.30) (Ø 14.50) MF 8.00 to 9.00 (0.20) (Ø 14.00)
<b>DIAMETERS (mm)</b>	SPH, TOR 7.10 to 9.20 (0.30) (Ø13.00) SPH, TORIC 13.00 & 14.50 MF 14.00
<b>SPHERES (D)</b>	MF: 14.00 SPH, TOR: ±30.00 (0.25) MF: -12.00 to -1.00 / +1.00 to +8.00 (0.25) -0.75 to -8.00 (0.25)
<b>CYLINDERS (D)</b>	All (5°)




**AXES (°)**  
**ADDITIONS**

	SPH +	SPH -
A	1.00 CN	1.00 CD
B	1.75 CN	2.00 CD
C	2.50 CN	3.00 CD

### MATERIAL

<b>TYPE</b>	Filcon 1 (15) [49%]
<b>WATER CONTENT</b>	49%
<b>DK (ISO 9913-1-1998)</b>	15
<b>CoF</b>	0.42
<b>HANDLING TINT</b>	BLUE
<b>MODULUS</b>	0.29
<b>PACK SIZE</b>	Single
<b>MANUFACTURING PROCESS</b>	LATHED

### OPTICAL DESIGN



Lens design parameters may change depending on the power

### CONTACT YOUR BUSINESS DEVELOPMENT MANAGER FOR DETAILS

Customer Care: T. 0800 328 0610 F. 0800 328 0649  
International Customer Care: T. +34 916 496 123  
mkservices@markennovy.com

**markennovy**

# OTHER REPLACEMENTS

## SPH 5 | 5T

FILCON II



SPH 5 / 5T can be replaced semi-annually or annually





### PARAMETERS

BASE CURVES (mm)	7.70 to 9.80 (0.30)
DIAMETER (mm)	14.50
SPHERES (D)	±30.00 (0.25)
CYLINDERS (D)	-0.75 to -8.00 (0.25)
AXES (°)	All (5°)

### MATERIAL

TYPE	Filcon 2 (24) [59%]
WATER CONTENT	59%
DK (ISO 9913-1-1998)	24
CoF	1.17
HANDLING TINT	BLUE
MODULUS	0.32
PACK SIZE	Single
MANUFACTURING PROCESS	LATHED

### OPTICAL DESIGN



Lens design parameters may change depending on the power

### CONTACT YOUR BUSINESS DEVELOPMENT MANAGER FOR DETAILS

Customer Care: T. 0800 328 0610 F. 0800 328 0649  
 International Customer Care: T. +34 916 496 123  
 mkservices@markennovy.com

# OTHER REPLACEMENTS

## ES43 | ET43

FILCON 1





### PARAMETERS

BASE CURVES (mm)	8.00 to 9.20 (0.30)
DIAMETER (mm)	14.00
SPHERES (D)	$\pm 30.00$ (0.25)
CYLINDERS (D)	-0.75 to -8.00 (0.25)
AXES (°)	All (5°)

### MATERIAL

TYPE	Filcon 1 (10) [38%]
WATER CONTENT	38%
DK (ISO 9913-1-1998)	9
DK/T (-3.00 D)	10
HANDLING TINT	Green
PACK SIZE	Single
MANUFACTURING PROCESS	LATHED

### OPTICAL DESIGN



Lens design parameters may change depending on the power

### CONTACT YOUR BUSINESS DEVELOPMENT MANAGER FOR DETAILS

Customer Care: T. 0800 328 0610 F. 0800 328 0649  
 International Customer Care: T. +34 916 496 123  
 mkservices@markennovy.com

**markennovy**


# FITTING GUIDE



- Multifocal
- EDOF
- MYLO

# STEP-BY-STEP FITTING GUIDE FOR MULTIFOCAL AND MULTIFOCAL TORIC CONTACT LENSES

- Choose Contact Lens Design



## 1. Lens calculation

- Lens Ø: Add 3mm to HVID
- For the most precise base curve, visit the Online Fitting Calculator (<http://markenny.com/fitting-calculator/>) or the ordering platform MyEnnovy (<https://www.myennovy.com/CustomOrders/>). If you do not have internet access, please view the table for a Normal Eye (0.45 eccentricity) at the bottom of the page.
- Updated Spectacle Prescription: Apply vertex distance in both meridians


## 2. Evaluate Visual Acuity

If the patient is subjectively happy, VA can be checked binocularly. But for improving vision at any distance, check VA MONOCULARLY at both distances.

	Improve Distance	Improve Near
Sphere	1 Dominant Eye $-0.25 / -0.50$	Non-Dominant Eye $+0.25 / +0.50$
	2 Both Eyes $-0.25 / -0.50$	Both Eyes $+0.25 / +0.50$
Addition	3 Dominant Eye $\downarrow 0.25 / 0.50$	Non-Dominant Eye $\uparrow 0.25 / 0.50$
	4 Both Eyes $\downarrow 0.25 / 0.50$	Both Eyes $\uparrow 0.25 / 0.50$
Geometry	5 Dominant Eye CD	Non-Dominant Eye CN
	6 Both Eyes CD	Both Eyes CN

## 3. Optical Zone Design

For Adds greater than 1.75 choosing the correct design for the patients optical needs becomes increasingly important. The diagram shows, and marks out of 4 the optical attributes for both CD and CN designs for each material, for use at distance, intermediate and near vision.





# STEP-BY-STEP FITTING GUIDE FOR MULTIFOCAL AND MULTIFOCAL TORIC CONTACT LENSES

## GENTLE 59 FITTING RULE

The following table is the fitting rule for a normal eye (0.45 eccentricity). For a more precise fit, please use our online fitting calculator.

### AVERAGE K-READINGS

	7,10	7,15	7,20	7,25	7,30	7,35	7,40	7,45	7,50	7,55	7,60	7,65	7,70	7,75	7,80	7,85	7,90	7,95	8,00	8,05	8,10	8,15	8,20	8,25	8,30	8,35	8,40	8,45	
10,00 → 13,00	7,40	7,40	7,40	7,40	7,40	7,40	7,40	7,40	7,40	7,40	7,70	7,70	7,70	7,70	7,70	7,70	7,70	8,00	8,00	8,00	8,00	8,00	8,00	8,00	8,00	8,00	8,30	8,30	8,30
10,50 → 13,50	7,40	7,40	7,40	7,40	7,40	7,40	7,70	7,70	7,70	7,70	8,00	8,00	8,00	8,00	8,00	8,00	8,00	8,00	8,00	8,00	8,00	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30
11,00 → 14,00	7,70	7,70	7,70	7,70	7,70	7,70	7,70	7,70	8,00	8,00	8,00	8,00	8,00	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,60	8,60	8,60
11,50 → 14,50	7,70	7,70	7,70	7,70	8,00	8,00	8,00	8,00	8,00	8,00	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,60	8,60	8,60	8,60
12,00 → 15,00	8,00	8,00	8,00	8,00	8,00	8,00	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,60	8,60	8,60	8,60	8,60	8,60	8,60	8,60	8,60	8,60	8,60	8,60	8,90	8,90	8,90
12,50 → 15,50	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,60	8,60	8,60	8,60	8,60	8,60	8,60	8,60	8,60	8,90	8,90	8,90	8,90	8,90	8,90	8,90	8,90	8,90	9,20	9,20	9,20
13,00 → 16,00	8,60	8,60	8,60	8,60	8,60	8,60	8,60	8,60	8,60	8,90	8,90	8,90	8,90	8,90	8,90	8,90	8,90	8,90	8,90	8,90	8,90	8,90	8,90	8,90	8,90	8,90	9,20	9,20	9,20

## SAPHIR RX, BLU:GEN, BLU:KIDZ & BLU:SENTENTIALS FITTING RULE \*

The following table is the fitting rule for a normal eye (0.45 eccentricity). For a more precise fit, please use our online fitting calculator.

### AVERAGE K-READINGS

	7,10	7,15	7,20	7,25	7,30	7,35	7,40	7,45	7,50	7,55	7,60	7,65	7,70	7,75	7,80	7,85	7,90	7,95	8,00	8,05	8,10	8,15	8,20	8,25	8,30	8,35	8,40	8,45	
8,50 → 11,50	6,80	6,80	6,80	6,80	6,80	7,10	7,10	7,10	7,10	7,10	7,10	7,10	7,10	7,40	7,40	7,40	7,40	7,40	7,40	7,40	7,40	7,40	7,40	7,70	7,70	7,70	7,70	7,70	
9,00 → 12,00	6,80	6,80	7,10	7,10	7,10	7,10	7,10	7,10	7,10	7,40	7,40	7,40	7,40	7,40	7,40	7,40	7,40	7,40	7,40	7,70	7,70	7,70	7,70	7,70	7,70	7,70	7,70	7,70	7,70
9,50 → 12,50	7,10	7,10	7,10	7,10	7,10	7,40	7,40	7,40	7,40	7,40	7,40	7,40	7,40	7,70	7,70	7,70	7,70	7,70	7,70	7,70	7,70	7,70	7,70	7,70	7,70	7,70	7,70	7,70	7,70
10,00 → 13,00	7,40	7,40	7,40	7,40	7,40	7,40	7,40	7,40	7,40	7,40	7,40	7,40	7,40	7,40	7,40	7,40	7,40	7,40	7,40	7,40	7,40	7,40	7,40	7,40	7,40	7,40	7,40	7,40	7,40
10,50 → 13,50	7,40	7,40	7,40	7,40	7,40	7,40	7,40	7,40	7,40	7,40	7,40	7,40	7,40	7,40	7,40	7,40	7,40	7,40	7,40	7,40	7,40	7,40	7,40	7,40	7,40	7,40	7,40	7,40	7,40
11,00 → 14,00	7,70	7,70	7,70	7,70	7,70	7,70	7,70	7,70	7,70	7,70	7,70	7,70	7,70	7,70	7,70	7,70	7,70	7,70	7,70	7,70	7,70	7,70	7,70	7,70	7,70	7,70	7,70	7,70	7,70
11,50 → 14,50	7,70	7,70	7,70	7,70	7,70	7,70	7,70	7,70	7,70	7,70	7,70	7,70	7,70	7,70	7,70	7,70	7,70	7,70	7,70	7,70	7,70	7,70	7,70	7,70	7,70	7,70	7,70	7,70	7,70
12,00 → 15,00	8,00	8,00	8,00	8,00	8,00	8,00	8,00	8,00	8,00	8,00	8,00	8,00	8,00	8,00	8,00	8,00	8,00	8,00	8,00	8,00	8,00	8,00	8,00	8,00	8,00	8,00	8,00	8,00	8,00
12,50 → 15,50	8,00	8,00	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30
13,00 → 16,00	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30
13,50 → 16,50	8,60	8,60	8,60	8,60	8,60	8,60	8,60	8,60	8,60	8,60	8,60	8,60	8,60	8,60	8,60	8,60	8,60	8,60	8,60	8,60	8,60	8,60	8,60	8,60	8,60	8,60	8,60	8,60	8,60

\* See product information to view all available parameters.

# STEP-BY-STEP FITTING GUIDE FOR MYOPIA MANAGEMENT LENS

## BEFORE FITTING

1. Collect the patients' biometric data: HVID, k-readings and eccentricity/topography.
2. Check corrected and uncorrected visual acuity (VA), both mono and binocularly.
3. Perform refraction: maximum plus for distance.



## CHOOSING THE CONTACT LENS

1. Calculate the lens diameter: HVID + 3.00 mm.
2. Calculate the base curve visiting the Online Fitting Calculator or the ordering platform My'Ennovy.



Online Fitting Calculator  
<http://www.markennovy.com/fitting-calculator>



Myopia Profile:  
<https://www.myopiaprofile.com/>

Also, for an average eye (0.45 eccentricity), you can use the following table:

	7.10	7.15	7.20	7.25	7.30	7.35	7.40	7.45	7.50	7.55	7.60	7.65	7.70	7.75	7.80	7.85	7.90	7.95	8.00	8.05	8.10	8.15	8.20	8.25	8.30	8.35	8.40	8.45	
10.50 → 13.50	7.40	7.40	7.40	7.40	7.40	7.70	7.70	7.70	7.70	7.70	7.70	7.70	7.70	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.30	8.30	8.30	8.30	8.30	8.30	8.30	8.30
11.00 → 14.00	7.40	7.70	7.70	7.70	7.70	7.70	7.70	7.70	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.30	8.30	8.30	8.30	8.30	8.30	8.30	8.30	8.60	8.60	8.60	8.60	8.60
11.50 → 14.50	7.70	7.70	7.70	7.70	7.70	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.30	8.30	8.30	8.30	8.30	8.30	8.30	8.30	8.30	8.60	8.60	8.60	8.60	8.60	8.60	8.60	8.90
12.00 → 15.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.30	8.30	8.30	8.30	8.30	8.30	8.30	8.60	8.60	8.60	8.60	8.60	8.60	8.60	8.60	8.60	8.90	8.90	8.90	8.90	8.90
12.50 → 15.50	8.00	8.00	8.30	8.30	8.30	8.30	8.30	8.30	8.30	8.30	8.60	8.60	8.60	8.60	8.60	8.60	8.60	8.90	8.90	8.90	8.90	8.90	8.90	8.90	8.90	9.20	9.20	9.20	9.20

3. Calculate the lens power (performing the vertex distance compensation if needed).

## PHYSICAL EVALUATION

1. Let the lenses settle for 20 minutes.
2. Evaluate physical fitting: check if diameter, centration and movement are correct.
  - a. If the physical fitting is correct, please continue and perform the VA evaluation.
  - b. If the physical fitting is not correct, please order a new pair of lenses taking into account your observations.



CORRECT FITTING



INCORRECT FITTING

## VA EVALUATION

1. After 20 minutes, check binocular visual acuity for both distances. If you wish, perform over-refraction.
2. Let the patient wear the lenses at least for 4 hours.
3. Check monocular and binocular visual acuity (VA) for both distances: a slight reduction compared to spectacles is possible. Ideally there will not be more than one line difference between eyes.
  - a. If binocular vision is  $\geq 20/25$ , leave the pair of contact lenses for two weeks and check again.
  - b. If binocular vision is  $< 20/25$ , perform an over-refraction to achieve a VA of 20/25 and then order a new pair of lenses to be worn for a two-week period.
4. After two weeks, check binocular VA and perform over-refraction at far distance.
  - a. If binocular VA is still 20/25, apply -0.25D or -0.50D to each eye. VA should increase a line mono and binocularly. Order a new pair of lenses.
  - b. If VA is not increased one line with the change, you may decide that VA is sufficient for the patient or find another myopia management intervention (e.g., soft CD multifocal contact lens).

## CONTACT YOUR BUSINESS DEVELOPMENT MANAGER FOR DETAILS

Customer Care: T. 0800 328 0610 F. 0800 328 0649  
 International Customer Care: T. +34 916 496 123  
[mkservices@markennovy.com](mailto:mkservices@markennovy.com)

# STEP-BY-STEP FITTING GUIDE FOR PRESBYOPIA LENS

## 1. BEFORE FITTING

- Collect the patients' biometric data: HVID, K-readings and eccentricity.
- Perform refraction and spectacle add: maximum plus for distance and minimum plus for near.
- Determine eye dominance through the +1.50D blur test while the patient is wearing best corrected distance Rx. If the patient is unresponsive to this test, try the triangle or pointing method.
- Determine eye dominance through the -1.50D blur test while the patient is wearing best corrected near Rx. If the patient is unresponsive to this test, try the triangle or pointing method.


## 2. CHOOSING THE CONTACT LENS

- Calculate the lens diameter: HVID + 3.00mm.
- For the most precise base curve, visit the Online Fitting Calculator (<http://markennovy.com/fitting-calculator/>) or the ordering platform MyEnnovy (<https://www.mynnovy.com/CustomerOrders/>). If you do not have internet access, please view the table for a Normal Eye (0.45 eccentricity) at the bottom of the page.
- Calculate the lens power (performing the vertex distance compensation if needed).
- Calculate the lens addition based on this table:

Specs Add	EDOF lens
≤1.25 D	0.75 OO
1.50 & 1.75 D	1.50 OO
≥ 2.00 D	2.25 OO



## 3. EVALUATION

- Let the lenses settle for 20 minutes.
  - Evaluate physical fitting: check if diameter, centration and movement are correct.
- 
- Check monocular and binocular VA for both distances: ideally there will not be more than one line difference between the eyes.
  - With both eyes opened, perform over-refraction only for the distance which needs to be improved and changing as little as possible to the prescription to achieve satisfactory results.

Improve Distance	Improve Near
Try -0.25 in the dominant eye	Try +0.25 in the non-dominant eye
Try -0.50 in the dominant eye	Try +0.50 in the non-dominant eye
Try -0.25 in both eyes	Try +0.25 in both eyes
Try -0.50 in both eyes	Try +0.50 in both eyes
Lower the addition *	Raise the addition *

\* Addition modification should be performed only when the over-refraction is higher than  $\pm 0.50D$  or the spherical changes are not tolerated on the opposite distance.

- Do not forget to check VA on the opposite distance.

The following table is the fitting rule for a normal eye (0.45 eccentricity). For a more precise fit, please use our online fitting calculator.

AVERAGE K-READING

	7.10	7.15	7.20	7.25	7.30	7.35	7.40	7.45	7.50	7.55	7.60	7.65	7.70	7.75	7.80	7.85	7.90	7.95	8.00	8.05	8.10	8.15	8.20	8.25	8.30	8.35	8.40	8.45				
10.50 → 13.50	7.40	7.40	7.40	7.40	7.40	7.70	7.70	7.70	7.70	7.70	7.70	7.70	7.70	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.30	8.30	8.30	8.30	8.30	8.30	8.30			
11.00 → 14.00	7.40	7.70	7.70	7.70	7.70	7.70	7.70	7.70	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.30	8.30	8.30	8.30	8.30	8.30	8.30	8.30	8.30	8.30	8.30	8.30	8.30		
11.50 → 14.50	7.70	7.70	7.70	7.70	7.70	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.30	8.30	8.30	8.30	8.30	8.30	8.30	8.30	8.30	8.30	8.60	8.60	8.60	8.60	8.60	8.60	8.60	8.60		
12.00 → 15.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.30	8.30	8.30	8.30	8.30	8.30	8.30	8.30	8.60	8.60	8.60	8.60	8.60	8.60	8.60	8.60	8.60	8.60	8.60	8.60	8.60	8.60	8.60	8.60	
12.50 → 15.50	8.00	8.00	8.30	8.30	8.30	8.30	8.30	8.30	8.30	8.30	8.60	8.60	8.60	8.60	8.60	8.60	8.60	8.60	8.60	8.60	8.60	8.60	8.60	8.60	8.60	8.60	8.60	8.60	8.60	8.60	8.60	8.60

# STEP-BY-STEP FITTING GUIDE FOR XTENSA SIHY

## 1. BEFORE FITTING

- Perform refraction and spectacle addition: maximum plus for far and minimum plus for near.
- Determine eye dominance through the +1.50D blur test while the patient is wearing best corrected distance Rx. If the patient is unresponsive to this test, try the triangle or pointing method.


## 2. CHOOSING THE CONTACT LENS

- Calculate the lens power (performing the vertex distance compensation if needed).
- Calculate the lens addition based on this table:

Specs Add	≤ 1.00 D	1.25 & 1.50 D	≥ 1.75 D
CL Add	Low (1.00 D)	Medium (1.50 D)	High (2.00 D)

## 3. EVALUATION

- Let the lenses settle for 20 minutes.
- Evaluate physical fitting: check if diameter, centration and movement are correct.



- Check monocular and binocular VA at both distances.
- With both eyes opened, perform over-refraction only for the distance in need of improvement. Change as little as possible the prescription to achieve satisfactory results. Before ordering the changes, do not forget to check binocular VA at all distances.

Improve Distance	Improve Near
Try -0.25 in the dominant eye	Try +0.25 in the non-dominant eye
Try -0.50 in the dominant eye	Try +0.50 in the non-dominant eye
Try -0.25 in both eyes	Try +0.25 in both eyes
Try -0.50 in both eyes	Try +0.50 in both eyes

### CONTACT YOUR BUSINESS DEVELOPMENT MANAGER FOR DETAILS

Customer Care: T. 0800 328 0610 F. 0800 328 0649  
International Customer Care: T. +34 916 496 123  
mkservices@markennovy.com

**markennovy**

# CONTACT LENS CARE



- Multipurpose solution
- Peroxide system

# CONTACT LENS CARE

## MULTIPURPOSE SOLUTION



Our multipurpose solution contains hyaluronic acid which lubricates and protects the contact lens from the adhesion of lipids, providing maximum comfort throughout the day. It is suitable for all types of soft contact lenses, including silicone hydrogel lenses, and comes with an antimicrobial lens case.

**PACK SIZE (60mL)** 15  
**PACK SIZE (360mL)** 20

### COMPOSITION

Hyaluronic acid  
Sodium citrate  
Sodium chloride  
Poloxamer  
EDTA and PHMB 0.0001%.

### BENEFITS

Extended comfort with Hyaluronic Acid  
Optimal hydration  
Effective against lipids  
Removes protein deposits  
Optimal tolerance  
With an antimicrobial lens case

### OTHER INDICATIONS & RECOMMENDATIONS

#### **Dry eyes**

For silicone hydrogel and hydrogel contact lens wearers with dry eye symptoms, moisturising drops are also recommended.

#### **Oily eyes**

For silicone hydrogel and hydrogel lens wearers with oily eyes, lens cleaning should be supplemented with an isopropyl alcohol cleaner.

#### **Sensitive eyes**

For contact lens wearers with sensitive eyes, also rinse lenses with a saline solution before insertion.

### CONTACT YOUR BUSINESS DEVELOPMENT MANAGER FOR DETAILS

Customer Care: T. 0800 328 0610 F. 0800 328 0649  
International Customer Care: T. +34 916 496 123  
mkservices@markennovy.com

**markennovy**

# CONTACT LENS CARE

## PEROXIDE SYSTEM



Our one-step peroxide system with a Vitamin B2 yellow colour indicator disinfects and neutralises in one hour, providing a rapid and comprehensive clean for all types of soft and rigid contact lenses, including soft silicone hydrogel lenses. Its neutralising tablet's coating dissolves during a 12-minute disinfectant stage on its way to transforming into a preservative-free saline solution at the end of the neutralisation process.

**PACK SIZE (60mL)** 10  
**PACK SIZE (360mL)** 20

### COMPOSITION


Disinfecting solution: Hydrogen peroxide 3%.  
Neutralising tablets: Sodium chloride, disodium phosphate, polyvinylpyrrolidone, Vitamin B2, catalase 0.1 mg and excipient q.s.  
Preservative-free.

### BENEFITS

Optimal disinfection without bubbles  
Fast-acting  
Removes proteins  
Preservative-free  
With wetting agent for more comfortable lens wear  
With a Vitamin B2 colour indicator tablet

### DISINFECTION & NEUTRALISATION PROCESS

Our peroxide system disinfects in 12 minutes with the complete process (disinfection + neutralisation) taking only one hour.



### OTHER INDICATIONS

#### Sensitive or normal eyes

For all contact lens wearers (silicone hydrogel, conventional hydrogel, RGP and Ortho-K) with sensitive or normal eyes, use the saline solution to rinse the lenses before insertion, if necessary.

#### Oily eyes

For conventional hydrogel, RGP and Ortho-K contact lens wearers prone to oily eyes, lens care can be supplemented with an isopropyl alcohol cleaner and saline solution for rinsing.

#### Dry eyes

For RGP and Ortho-K lens wearers with dry eye problems, the cleaning process should be completed with moisturising drops or a liposome eye spray.

### CONTACT YOUR BUSINESS DEVELOPMENT MANAGER FOR DETAILS

Customer Care: T. 0800 328 0610 F. 0800 328 0649  
International Customer Care: T. +34 916 496 123  
mkservices@markennovy.com

**markennovy**



**A**t mark'ennovy, we are committed to challenging the contact lens industry status quo through innovation with a professional team that rivals any.

The patient and eye care professional are firmly at the heart of everything we do. And we are passionate about adding value at every stage of the contact lens journey, from a patient's first consultation to the final fit.

The contact lenses we produce are carefully and individually crafted to the specific measurements and requirements of the patient's eyes as assessed by the eye care professional. Our most advanced materials, optics and technology enable us to provide exceptional, comfortable vision throughout the day, whilst safeguarding the health of patients' eyes. After all, at mark'ennovy, we strongly believe that seeing better is living better!

Inspire your eyes

**mark'ennovy**


**CONTACT YOUR BUSINESS DEVELOPMENT  
MANAGER FOR DETAILS**

Customer Care: T. 0800 328 0610 F. 0800 328 0649  
International Customer Care: T. +34 916 496 123  
mkservices@markennovy.com  
www.markennovy.com



**EXCLUSIVE FOCUS ON YOU**

We only sell through you, the EYE CARE PROFESSIONAL



**CUSTOM-MADE SOFT LENSES**

We offer an exceptional COMBINATION OF PARAMETERS, GEOMETRIES AND LATEST-GENERATION MATERIALS so you can fit virtually any patient



**TECHNICAL EXPERTISE**

Our customer care is STAFFED BY OPTICIANS, because we believe optician-led support adds greater value to you



**FAST DELIVERY**

We typically SHIP IN ONLY 72 HOURS, meaning you have custom lenses back in practice 4-5 WORKING DAYS AFTER PLACING YOUR ORDER



**INDIVIDUALLY YOURS**

Every contact lens is carefully inspected and placed in the final package, engraved with your patient's name